

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6061521".pn. and method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 10:46
S1	295	717/159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:10
S2	419	717/151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:10
S3	129	717/161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:10
S4	70	(simd or vector) and (compound near3 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:11
S5	764	(simd or vector) and risc and ((power or energy) near3 (consumption or expend\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:51
S6	506	((simd or vector) and (power or energy) ).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:29
S7	65	evaluat\$3 adj throughput	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:14
S8	0	(evaluat\$3 adj throughput) and (simd or ((single adj instruction) adj multiple) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:15

S9	2734	(simd or ((single adj instruction) adj multiple) ) same (operations or opcode or instruction or operator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 07:37
S10	2583	(simd or ((single adj instruction) adj multiple) ) near5 (operations or opcode or instruction or operator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:17
S11	0	S7 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:17
S12	167	S5 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:17
S13	1	S12 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:18
S14	15	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:18
S15	0	S4 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:18
S16	0	S4 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:18
S17	11	S4 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:23
S18	98	risc same ( minimum or difference or add or subtract or compare or maximum or difference or average or conditional or negate or viterbi or shift) adj (operation or operator or opcode or micro-operat\$3 or micro-op)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:21

S19	2	S4 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:21
S20	0	((simd or vector) and mimd and (power or energy) ).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:29
S21	22	((simd or vector) and mimd ).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:37
S22	5	viterbi adj shift	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:51
S23	66	custom\$4 near3 (alu or (logic adj unit) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 13:54
S24	764	(simd or vector) and risc and ((power or energy) near3 (consumption or expend\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:52
S25	1	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:53
S26	941	(custom\$4 or exten\$4 or special\$7) near3 (alu or (logic adj unit) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:38
S27	125	S24 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 13:55
S28	2998	(simd or ((single adj instruction) near3 multiple) ) same (operations or opcode or instruction or operator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:56

S29	3	S23 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:56
S30	137	(custom\$4 or exten\$4 or special\$7) adj (alu or (logic adj unit) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:38
S31	9	S24 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:16
S32	2	"6151568".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:21
S33	2	"6513145".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:21
S34	6091	(vector near5 operation) and (power or energy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:36
S35	137	(custom\$4 or exten\$4 or special\$7) adj (alu or (logic adj unit) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:36
S36	2757	(simd or ((single adj instruction) adj multiple) ) same (operations or opcode or instruction or operator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 07:37
S37	944	(custom\$4 or exten\$4 or special\$7) near3 (alu or (logic adj unit) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:38
S38	137	(custom\$4 or exten\$4 or special\$7) adj (alu or (logic adj unit) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:39

S39	121	vector near3 (add-subtract or add/subtract or (add near3 subtract) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:48
S40	0	S37 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:41
S41	66	S34 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:42
S42	0	S35 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:41
S43	36	S36 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:41
S44	0	S38 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:41
S45	240	vector near3 (minimum-differenc\$3 or minimum/differenc\$3 or (minimum near3 differenc\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:12
S46	65	vector near3 (compar\$3-max\$4 or compar\$3/max\$4 or (compar\$3 near3 max\$4) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:51
S47	2	S45 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:51
S48	2	S39 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:52

S49	2	S39 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 07:52
S50	67	vector near3 (minimum-differenc\$3 or minimum/differenc\$3 or (minimum near3 differenc\$3) ) and (power or energy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:16
S51	2109	vector near3 (averag\$3 ) and (power or energy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:17
S52	68	vector near3 (averag\$3 and scale ) and (power or energy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:26
S53	1	S45 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:19
S54	14	S45 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:19
S55	2	vector near3 (conditional adj negate ) and (power or energy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:28
S56	2	vector near3 (conditional adj negate )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:27
S57	2	vector same (conditional adj negate )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:27
S58	279	vector near3 (conditional ) and (power or energy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:28

S59	56	vector adj (conditional ) and (power or energy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:28
S60	1	("5805874").URPN.	USPAT	OR	OFF	2005/01/03 08:30
S61	4	("6446195" "6687299" ).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 07:50
S62	4	("6446195" "6687299" ).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 07:50
S63	243	(concat\$7 or add\$3 or combin\$5) near3 (SIMD or "single instruction multiple data")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:51
S64	243	(concat\$7 or add\$3 or combin\$5 or compound) near3 (SIMD or "single instruction multiple data")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:51
S65	19	(concat\$7 or add\$3 or combin\$5 or compound) near3 (SIMD or "single instruction multiple data") same (risc or "reduced instruction set" or (sun near2 (chip or chipsets or processor or cpu) ) or powerpc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 18:02
S66	63	(vector near3 (instruction or operation or op) ) near3 (SIMD or "single instruction multiple data") same (risc or "reduced instruction set" or (sun near2 (chip or chipsets or processor or cpu) ) or powerpc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 18:02
S67	1	( (concat\$7 or add\$3 or combin\$5 or compound) near3 vector) near3 (SIMD or "single instruction multiple data") same (risc or "reduced instruction set" or (sun near2 (chip or chipsets or processor or cpu) ) or powerpc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 18:05
S68	1	( (concat\$7 or add\$3 or combin\$5 or compound) near3 vector) near3 (SIMD or "single instruction multiple data") same (dsp or "signal processing")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 18:06

S69	46	vector near3 (SIMD or "single instruction multiple data") same (dsp or "signal processing")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 18:06
S70	40	vector near3 (SIMD or "single instruction multiple data") same (dsp or "signal processing") and (concat\$7 or add\$3 or combin\$5 or compound)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 18:37
S71	14	("5887183" "6219775" "6078941" "4853890" "6061521" "6324638" "6334176" ).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 18:14
S72	2	"20030070059"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 18:15
S73	27	vector near3 (SIMD or "single instruction multiple data") same (dsp or "signal processing") and (concat\$7 or add\$3 or combin\$5 or compound) and (power or energy )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 18:38